



승강기 종단면도	층 명	1FL	(O.H) 2FL						
	층 고	4200	4200						
	승장개구부 높이	2550	2250						






■ NOTE



승강로 피트 바닥 강도(단위:N)

구 분	P6	P9	P11	P13	P15	P17	P20	P24
카촉 레일 하부강도(A)	16,500	18,500	21,500	26,000	28,000	26,485	36,000	41,000
균형추축 레일 하부 강도(B)	45,000	45,000	4,500	4,500	4,500	980	4,500	4,500
카촉 완충기 지지강도(C)	49,000	56,703	68,000	78,000	84,500	95,672	109,000	129,000
균형추축 완충기 지지강도(D)	40,000	45,000	53,000	60,000	65,000	73,132	82,500	97,500

			
			
			
No.	Date	Revision Description	Chkd.

설계명
Project

안산 아이러브맘카페
2호점 건립공사

승인
Approved

임 경 배

설계 Architect	
-----------------	--

검토 Chkd	
------------	--

<p> 담당 Drawn </p>	
----------------------------------------------------	--

도면명
Title

엘리베이터상세도-4

축척
Scale 1/80

프로젝트번호
Project No.

도면번호
Drawing No. A-804

일련번호 Sheet No.	Rev. No.	
-------------------	-------------	---------------------------------------------------------------------------------------